

Serial No.: 10/555,345

\_\_\_\_\_

This work was supported by National Institutes of Health Grants R01AG026879 and P01AG026879-01A1.

Group: 1616

[illegible][illegible]

		Hospital slashes pneumonia rate with quality project for early intervention: project helps identify at-risk patients, methods to prevent infection. Hospital Peer Review; April 1 2002; (3 pgs.)
		Houston, S. et al.; "Effectiveness of 0.12% Chlorhexidine Gluconate Oral Rinse in Reducing Prevalence of Nosocomial Pneumonia in Patients Undergoing Heart Surgery"; American Journal of Critical Care; Vol. 11, No. 6; November 2002 pp 567-570
		DeRiso II, A. J. et al.; "Chlorhexidine Gluconate 0.12% Oral Rinse Reduces the Incidence of Total Nosocomial Respiratory Infection and Nonprophylactic Systemic Antibiotic Use in Patients Undergoing Heart Surgery"; CHEST; Vol. 109; No. 6; June 1996 pp 1556-1561
		Genuit, T. et al.; "Prophylactic Chlorhexidine Oral Rinse Decreases Ventilator-Associated Pneumonia in Surgical ICU Patients"; Surgical Infections; Vol. 2, No. 1, 2001; pp 5-19
		Clinical Strategy Watch; Vol. 1, Issue 2, March 27, 2003; particularly pgs. 7-10 provided

Date Considered

09/24/2010

Based on Form PTO-FB-A820  
(Also form PTO-1449)

Patent and Trademark Office, U.S. Department of Commerce